



Republic of the Philippines
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. 02
No. 20 Pagayaya Road, Regional Government Center Carig
Sur, Tuguegarao City
Telefax (078) 304-1160/3960724

REQUEST FOR QUOTATION (RFQ)
PROCUREMENT AND DELIVERY OF ICT SUPPLIES
RFQ NO.MIS-2020-09-P1119

1. The Department of Environment and Natural Resources – Environmental Management Bureau, Region 2 hereinafter referred to as the “Purchaser” now requests for submission of price quotations for the procurement of the aforesaid item described in the Technical Specifications.
2. The DENR-EMB R-2 intends to apply the sum **FOUR HUNDRED FIFTY TWO THOUSAND FIVE HUNDRED PESOS (P452,500.00) ONLY** being the **Approved Budget for the Contract (ABC)**, to payment for the contract for the **PROCUREMENT AND DELIVERY OF ICT SUPPLIES**. Bids received in excess of ABC shall be automatically rejected at bid opening.
3. A set of technical specifications are provided in Attachment 1. All items listed under the Purchaser’s Specifications must be complied with on a pass-fail basis. Failure to meet any one of the requirements may result in rejection of the quotation.
4. Bidding procedures will be conducted in accordance with the provisions of the Implementing Rules and Regulations (IRR) of Republic Act 9184.
5. It is the intent of the Purchaser to evaluate the quotation on a per item/lot basis, and award will be made to the bid/quotation or combination of quotations resulting in the lowest evaluated quotation meeting the Purchaser’s technical specifications.
6. Quotations must be delivered at the address below not later than **5:00 p.m. of September 30, 2020.**

Environmental Management Bureau Regional Office No.2

No. 20 Pagayaya Road, Regional Government
Center Carig, Tuguegarao City, Cagayan

7. Prices must be quoted in Philippine Peso and must include the unit price and total price, inclusive of all taxes to be paid and other incidental cost to the delivery site/s if the contract is awarded.
8. Quotation may be typewritten and may be placed in a sealed envelope marked “PROCUREMENT AND DELIVERY OF ICT SUPPLIES.,” or you may send your bid/quotation through our e-mail (embr02.bac@gmail.com).

9. Bids/quotations shall be valid for sixty (60) calendar days from the deadline of submission of bids.
10. The delivery period shall be within sixty (30) calendar days from receipt of the Purchase Order (PO). The supplier should inform the Purchaser at least three (3) days before the date of delivery. The delivery will be made only during working days and hours.
11. Delivery Site:

Environmental Management Bureau Regional Office No.2

No. 20 Pagayaya Road, Regional Government
Center Carig, Tuguegarao City, Cagayan

12. The applicable rate for late deliveries is one tenth (1/10) of one (1) percent of the cost of the unperformed portion of the contract for every day of delay. The maximum deduction shall be ten percent (10%) of the amount of contract. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the contract amount, the Purchaser shall rescind the contract without prejudice to other courses of action and remedies open to it.
13. The Purchaser reserves the right to accept or reject any quotation, and to annul the bidding/shopping process or reject all quotations at any time prior to contract award, without thereby incurring any liability to the affected bidder/bidders. The Purchaser also reserves the right to waive minor deviations/defects or infirmities therein. A minor deviation/defect or infirmity is one that does not materially affect the overall functionality of the material and the capability of the supplier to perform the contract.
14. The prospective bidder shall submit the following:
 - a) Quotation Form
 - b) Technical Specifications
 - c) Proof of PhilGEPS Registration

RUEL B. CUBERO

BAC Chairperson

TECHNICAL SPECIFICATION

Purchaser's Specifications	Bidder's Specifications
<p>4 Channel UHF Professional Wireless Gooseneck Microphone Conference System Channels design , 4 UHF gooseneck microphones can be used at the same time without disturbance With 8 pcs battery Maximum operation distance: 80m Ideal space, 60m; for a complex environment 40m. Avoids excessive noise and distortion Uni-directional Polar pattern Suitable for large and small stage, karaoke dance halls, conference rooms, teaching lectures and home entertainment and other occasions.</p>	
<p>USB Audio Interface w/ Pre Amplifier / PreAmp & 48v Phantom Power 2x2 USB audio interface for recording microphones and instruments Audiophile 48 kHz resolution for professional audio quality. Maximum Sampling Rate: 48 kHz Compatible with popular recording software including Avid Pro Tools*, Ableton Live*, Steinberg Cubase*, etc. Streams 2 inputs / 2 outputs with ultra-low latency to your computer, supporting Mac OS X* and Windows XP* or higher</p>	
<p>4-Layer Rack for Audio/Video Component Dimension:60(W) x 45(D) x 99.5(H)CM 8/5/5/5mm tempered glass Designed for heavy duty application Weight Capacity: 50/15/15/15kgs Color: Black Metal Frame / Solid Black Glass</p>	
<p>Desktop Speaker Power output : R/L: RMS 4.5W× 2 SW: RMS 12W Distortion : ≤ 0.5% Signal to noise rate : ≥ 80dBA Frequency response : 80Hz~20KHz (±6dB) Input sensitivity: R/L : 300mV±50mV SW: 100mV±20mV Input type : AUX/USB/SD card/FM Bass unit : 4 inch Treble unit : 2 ¾ inch Adjustment : Side control panel, remote control With USB flash disk / SD card playback, FM function 4 inch bass and 2 3/4 inch mid-range & treble drivers Integrated side control panel makes system</p>	

<p>adjustments easy and convenient With IR remote control to select source directly Six buttons for audio source selection, previous/next track, play/pause and volume up/down USB/SD card playback supports breakpoint memory function Able to memorize mode and volume Support USB/SD card folders change Universal 100V-240V power supply</p>	
<p>Wooden Office Table Office Desk / Office Table Size: 23.5 x 47.5 Inches Work Space Height from ground: 29.5 inches Standard height</p>	
<p>iFace 702 Biometric Face Fingerprint Time Attendance High resolution ,infrared and colored camera functions.Colored touch screen, easy use and fashionable GUI.Infrared optical system enables user-identification in poorly lit environment.Standard functions for access control.The standard TCP/IP communication, support inter-network.Fingerprint recognition combines with face recognition.400 face capacity and 2000 fingerprint capacity.</p>	
<p>Printer Ink 003 (65ml)</p>	
<p>Printer Ink 664 (65ml)</p>	
<p>Nanostation 5GHz Long Range Access Point Output power: 27dBm Frequency standard: 5GHz Antenna Information Gain 14.6 - 16.1 dBi Cross-pol Isolation 22 dB Minimum Max. VSWR 1.6:1 Beamwidth 43° (H-pol) / 41° (V-pol) / 15° (Elevation) Polarization: Dual</p>	
<p>LiteBeam M5 LBE-M5-23 wireless bridge outdoor Operating Frequency Worldwide: 5150 - 5875 MHz Output Power: 25 dBm Gain: 23 dBi Max. VSWR: 1.5:1 Wind Survivability: 200 km/h (125 mph) Wind Loading: 176.86 N @ 200 km/h/(39.76 lbf @ 125 mph) Max. Power Consumption: 4W Power Supply: 24V, 0.2A PoE Adapter (Included)</p>	
<p>Computer chair Mesh Back Office Chair with Headrest (Black) Ergonomic Design with Thick Cushion and Breathable Mesh for Maximum Comfort High Back Design with Headrest</p>	

Chromed Steel 5 Star Base & Nylon Casters Tilt-Lock Function Pneumatic Height Adjustment 360 Degrees Swivel Function Maximum Weight Capacity: 100 kg 1 Year Warranty	
---	--

REQUEST FOR QUOTATION FORM

Date: **September 26, 2020**

RFQ No.: **MIS-2020-09-P1119**

**Attention: FAD – PROPERTY AND GENERAL SERVICES SECTION
Environmental Management Bureau Regional Office No.2**

No. 20 Pagayaya Road, Regional Government
Center Carig, Tuguegarao City, Cagayan

- 1) Having examined the subject Request for Quotation (RFQ) including the Technical Specifications, we, the undersigned offer to supply and deliver the following:

Description	Quantity	Unit	Unit Price	Total Price
4 Channel UHF Professional Wireless Gooseneck Microphone Conference System Channels design , 4 UHF gooseneck microphones can be used at the same time without disturbance With 8 pcs battery Maximum operation distance: 80m Ideal space, 60m; for a complex environment 40m. Avoids excessive noise and distortion	4	Set		

<p>Uni-directional Polar pattern Suitable for large and small stage, karaoke dance halls, conference rooms, teaching lectures and home entertainment and other occasions.</p>				
<p>USB Audio Interface w/ Pre Amplifier / PreAmp & 48v Phantom Power 2x2 USB audio interface for recording microphones and instruments Audiophile 48 kHz resolution for professional audio quality. Maximum Sampling Rate: 48 kHz Compatible with popular recording software including Avid Pro Tools*, Ableton Live*, Steinberg Cubase*, etc. Streams 2 inputs / 2 outputs with ultra-low latency to your computer, supporting Mac OS X* and Windows XP* or higher</p>	2	Pc		
<p>4-Layer Rack for Audio/Video Component Dimension:60(W) x 45(D) x 99.5(H)CM 8/5/5/5mm tempered glass Designed for heavy duty application Weight Capacity: 50/15/15/15kgs Color: Black Metal Frame / Solid Black Glass</p>	2	Pc		
<p>Desktop Speaker Power output : R/L: RMS 4.5W× 2 SW: RMS 12W Distortion : ≤ 0.5% Signal to noise rate : ≥ 80dBA Frequency response : 80Hz~20KHz (±6dB) Input sensitivity: R/L : 300mV±50mV SW: 100mV±20mV Input type : AUX/USB/SD card/FM Bass unit : 4 inch</p>	10	Pc		

<p>Treble unit : 2 ¾ inch Adjustment : Side control panel, remote control With USB flash disk / SD card playback, FM function 4 inch bass and 2 3/4 inch mid-range & treble drivers Integrated side control panel makes system adjustments easy and convenient With IR remote control to select source directly Six buttons for audio source selection, previous/next track, play/pause and volume up/down USB/SD card playback supports breakpoint memory function Able to memorize mode and volume Support USB/SD card folders change Universal 100V-240V power supply</p>				
<p>Wooden Office Table Office Desk / Office Table Size: 23.5 x 47.5 Inches Work Space Height from ground: 29.5 inches Standard height</p>	5	Pc		
<p>iFace 702 Biometric Face Fingerprint Time Attendance High resolution ,infrared and colored camera functions.Colored touch screen, easy use and fashionable GUI.Infrared optical system enables user-identification in poorly lit environment.Standard functions for access control.The standard TCP/IP communication, support inter-network.Fingerprint recognition combines with face recognition.400 face capacity and 2000 fingerprint capacity.</p>	5	Unit		
Printer Ink 003 (65ml)	100	Set		
Printer Ink 664 (65ml)	100	Set		

<p>Nanostation 5GHz Long Range Access Point Output power: 27dBm</p> <p>Frequency standard: 5GHz</p> <p>Antenna Information</p> <p>Gain 14.6 - 16.1 dBi</p> <p>Cross-pol Isolation 22 dB</p> <p>Minimum</p> <p>Max. VSWR 1.6:1</p> <p>Beamwidth 43° (H-pol) / 41° (V-pol) / 15° (Elevation)</p> <p>Polarization: Dual</p>	1	Pc		
<p>LiteBeam M5 LBE-M5-23 wireless bridge outdoor</p> <p>Operating Frequency Worldwide: 5150 - 5875 MHz</p> <p>Output Power: 25 dBm</p> <p>Gain: 23 dBi</p> <p>Max. VSWR: 1.5:1</p> <p>Wind Survivability: 200 km/h (125 mph)</p> <p>Wind Loading: 176.86 N @ 200 km/h/(39.76 lbf @ 125 mph)</p> <p>Max. Power Consumption: 4W</p> <p>Power Supply: 24V, 0.2A PoE Adapter (Included)</p>	2	Pc		
<p>Computer chair</p> <p>Mesh Back Office Chair with Headrest (Black) Ergonomic Design with Thick Cushion and Breathable Mesh for Maximum Comfort</p> <p>High Back Design with Headrest</p> <p>Chromed Steel 5 Star Base & Nylon Casters</p> <p>Tilt-Lock Function</p> <p>Pneumatic Height Adjustment</p> <p>360 Degrees Swivel Function</p> <p>Maximum Weight Capacity: 100 kg</p> <p>1 Year Warranty</p>	5	Pc		

2. We undertake, if our Quotation or bid is accepted, to deliver the above services within the sixty (60) days delivery period or earlier from receipt of Purchase Order (PO) or Job Order (JO).

3. We agree to abide by this Quotation/bid for a period of sixty (60) days after the deadline of submission specified in the RFQ.
4. We understand that payment for items delivered will be made to the winning supplier after the inspection and acceptance of goods delivered.

Name of company : _____

Postal address : _____

Email address : _____

Telephone & Fax No. : _____

Supplier's representative : _____

Signature over printed name : _____

Designation : _____

